

- DOI: 10.1093/aje/kww237.
- [ 7 ] LARSEN T R, GELAYE A, WAANBAH B, et al.Prevalence of masked hypertension in African Americans [ J ] .J Clin Hypertens ( Greenwich ) , 2014, 16 ( 11 ) : 801–804.DOI: 10.1111/jch.12418.
- [ 8 ] OMBONI S, ARISTIZABAL D, DE LA SIERRA A, et al. Hypertension types defined by clinic and ambulatory blood pressure in 14143 patients referred to hypertension clinics worldwide.Data from the ARTEMIS study [ J ] .J Hypertens, 2016, 34 ( 11 ) : 2187–2198.DOI: 10.1097/HJH.0000000000001074.
- [ 9 ] YUE W W, YIN J, CHEN B, et al.Analysis of heart rate variability in masked hypertension [ J ] .Cell Biochem Biophys, 2014, 70 ( 1 ) : 201–204.DOI: 10.1007/s12013-014-9882-y.
- [ 10 ] SONG C L, ZHANG X, LIU Y K, et al.Heart rate turbulence in masked hypertension and white-coat hypertension [ J ] .Eur Rev Med Pharmacol Sci, 2015, 19 ( 8 ) : 1457–1460.
- [ 11 ] AGARWAL R, PAPPAS M K.Delayed systolic blood pressure recovery following exercise as a mechanism of masked uncontrolled hypertension in chronic kidney disease [ J ] .Nephrol Dial Transplant, 2017, 32 ( 10 ) : 1710–1717.DOI: 10.1093/ndt/gfw266.
- [ 12 ] TRACHSEL L D, CARLEN F, BRUGGER N, et al.Masked hypertension and cardiac remodeling in middle-aged endurance athletes [ J ] .J Hypertens, 2015, 33 ( 6 ) : 1276–1283.DOI: 10.1097/HJH.0000000000000558.
- [ 13 ] AUNG S M, GÜLER A, GÜLER Y, et al.Two-dimensional speckle-tracking echocardiography-based left atrial strain parameters predict masked hypertension in patients with hypertensive response to exercise [ J ] .Blood Press Monit, 2017, 22 ( 1 ) : 27–33.DOI: 10.1097/MBP.0000000000000226.
- [ 14 ] ATES I, OZKAYAR N, ALTAY M, et al.Is disulphide/thiol ratio related to blood pressure in masked hypertension? [ J ] .Clin Exp Hypertens, 2016, 38 ( 2 ) : 150–154.DOI: 10.3109/10641963.2015.1060995.
- [ 15 ] INAN B, ATES I, OZKAYAR N, et al.Are increased oxidative stress and asymmetric dimethylarginine levels associated with masked hypertension? [ J ] .Clin Exp Hypertens, 2016, 38 ( 3 ) : 294–298.DOI: 10.3109/10641963.2015.1089883.
- [ 16 ] TERRACCIANO A, SCUTERI A, STRAIT J, et al.Are personality traits associated with white-coat and masked hypertension? [ J ] .J Hypertens, 2014, 32 ( 10 ) : 1987–1992; discussion 1992. DOI: 10.1097/HJH.0000000000000289.
- [ 17 ] BOUCHER P, GILBERT-OUIMET M, TRUDEL X, et al.Masked hypertension and effort-reward imbalance at work among 2369 white-collar workers [ J ] .J Hum Hypertens, 2017, 31 ( 10 ) : 620–626.DOI: 10.1038/jhh.2017.42.
- [ 18 ] ESME M, YAVUZ B B, YAVUZ B, et al.Masked Hypertension is Associated With Cognitive Decline in Geriatric Age-Geriatric MAsKed Hypertension and Cognition ( G-MASH-cog ) Study [ J ] .J Gerontol A Biol Sci Med Sci, 2018, 73 ( 2 ) : 248–254.DOI: 10.1093/gerona/glx150.
- [ 19 ] SO H K, YIP G W, CHOI K C, et al.Association between waist circumference and childhood-masked hypertension: A community-based study [ J ] .J Paediatr Child Health, 2016, 52 ( 4 ) : 385–390.DOI: 10.1111/jpc.13121.
- [ 20 ] ÖZKAN S, ATA N, YAVUZ B.Increased masked hypertension prevalence in patients with obesity [ J ] .Clin Exp Hypertens, 2018, 40 ( 8 ) : 780–783.DOI: 10.1080/10641963.2018.1431262.
- [ 21 ] CALISKAN M, GUVEN A, CIFTCI O, et al.Serum uric acid and carotid artery intima media thickness in patients with masked hypertension [ J ] .Acta Cardiol, 2014, 69 ( 4 ) : 417–423. DOI: 10.2143/AC.69.4.3036658.
- [ 22 ] GIJÓN-CONDE T, GRACIANI A, LÓPEZ-GARCÍA E, et al. Short-term variability and nocturnal decline in ambulatory blood pressure in normotension, white-coat hypertension, masked hypertension and sustained hypertension: a population-based study of older individuals in Spain [ J ] .Hypertens Res, 2017, 40 ( 6 ) : 613–619.DOI: 10.1038/hr.2017.9.
- [ 23 ] BRITOV A N, PLATONOVA E M, SMIRNOVA M I, et al. Morphofunctional myocardial characteristics in patients with masked arterial hypertension and white coat hypertension [ J ] .Klin Med ( Mosk ) , 2015, 93 ( 10 ) : 31–38.
- [ 24 ] TADIC M, CUSPIDI C, VUKOMANOVIC V, et al.Does masked hypertension impact left ventricular deformation? [ J ] .J Am Soc Hypertens, 2016, 10 ( 9 ) : 694–701.DOI: 10.1016/j.jash.2016.06.032.
- [ 25 ] YAM M C, SO H K, KWOK S Y, et al.Left ventricular mass of persistent masked hypertension in Hong Kong Chinese adolescents: a 4-year follow-up study [ J ] .Cardiol Young, 2018, 28 ( 6 ) : 837–843.DOI: 10.1017/S1047951118000434.
- [ 26 ] SEKOBA N P, KRUGER R, LABUSCHAGNE P, et al.Left ventricular mass independently associates with masked hypertension in young healthy adults: the African-PREDICT study [ J ] .J Hypertens, 2018, 36 ( 8 ) : 1689–1696.DOI: 10.1097/HJH.0000000000001740.
- [ 27 ] SATOH M, ASAYAMA K, KIKUYA M, et al.Long-Term Stroke Risk Due to Partial White-Coat or Masked Hypertension Based on Home and Ambulatory Blood Pressure Measurements: The Ohasama Study [ J ] .Hypertension, 2016, 67 ( 1 ) : 48–55.DOI: 10.1161/HYPERTENSIONAHA.115.06461.
- [ 28 ] FUJIWARA T, YANO Y, HOSHIDE S, et al.Association of Cardiovascular Outcomes With Masked Hypertension Defined by Home Blood Pressure Monitoring in a Japanese General Practice Population [ J ] .JAMA Cardiol, 2018, 3 ( 7 ) : 583–590.DOI: 10.1001/jamacardio.2018.1233.
- [ 29 ] HATA J, FUKUHARA M, SAKATA S, et al.White-coat and masked hypertension are associated with albuminuria in a general population: the Hisayama Study [ J ] .Hypertens Res, 2017, 40 ( 11 ) :