pone.0025077.

- [15] LIU R, YUAN H, YUAN F, et al. Neuroprotection targeting ischemic penumbra and beyond for the treatment of ischemic stroke [J]. Neurol Res, 2012, 34 (4): 331-337.DOI: 10.1179/1743132812Y.0000000020.
- [16] 何森红, 贺立新, 徐吉芬, 等.血清转化生长因子β1、存活素水平对急性脑梗死患者静脉溶栓后出血转化风险的预测价值研究[J].实用心脑肺血管病杂志, 2021, 29(8): 29-33. DOI: 10.12114/j.issn.1008-5971.2021.00.132.
- [17] YUAN S H, LIU K J, QI Z F.Occludin regulation of blood-brain barrier and potential therapeutic target in ischemic stroke
 [J] .Brain Circ, 2020, 6 (3): 152-162.DOI: 10.4103/bc.bc_29_20.
- [18] JIANG X Y, ANDJELKOVIC A V, ZHU L, et al.Blood-brain barrier dysfunction and recovery after ischemic stroke [J] . Prog Neurobiol, 2018, 163/164: 144-171.DOI: 10.1016/ j.pneurobio.2017.10.001.
- [19] LI W L, PAN R, QI Z F, et al.Current progress in searching for clinically useful biomarkers of blood-brain barrier damage following cerebral ischemia [J] .Brain Circ, 2018, 4 (4): 145-152. DOI: 10.4103/bc.bc_11_18.
- [20] KHAN M, DHAMMU TS, SAKAKIMA H, et al.The inhibitory effect of S-nitrosoglutathione on blood-brain barrier disruption and peroxynitrite formation in a rat model of experimental stroke [J]. J Neurochem, 2012, 123 (Suppl 2): 86-97.DOI: 10.1111/j.1471-4159.2012.07947.x.
- [21] PAN R, YU K W, WEATHERWAX T, et al.Blood occludin level as a potential biomarker for early blood brain barrier damage following ischemic stroke [J]. Sci Rep., 2017, 7: 40331.DOI:

- 10.1038/srep40331.
- [22] YUAN S H, LI W L, HOU C B, et al.Serum occludin level combined with NIHSS score predicts hemorrhage transformation in ischemic stroke patients with reperfusion [J] .Front Cell Neurosci, 2021, 15: 714171.DOI: 10.3389/fncel.2021.714171.
- [23] TAN S, WANG D R, LIU M, et al.Frequency and predictors of spontaneous hemorrhagic transformation in ischemic stroke and its association with prognosis [J]. J Neurol, 2014, 261 (5): 905-912.DOI: 10.1007/s00415-014-7297-8.
- [24] 戚飞腾,谢国民,孙琪,等.应激性血糖升高比值与急性 缺血性卒中静脉溶栓后出血转化的相关性研究[J].中国 全科医学,2022,25(23):2864-2868.DOI:10.12114/ j.issn.1007-9572.2022.0167.
- [25] EMBERSON J, LEES KR, LYDEN P, et al.Effect of treatment delay, age, and stroke severity on the effects of intravenous thrombolysis with alteplase for acute ischaemic stroke: a meta-analysis of individual patient data from randomised trials [J]. Lancet, 2014, 384 (9958): 1929-1935.DOI: 10.1016/S0140-6736(14)60584-5.
- [26] ZHAO X J, LI Q X, LIU T J, et al.Predictive values of CSS and NIHSS in the prognosis of patients with acute cerebral infarction: a comparative analysis [J] .Medicine (Baltimore) , 2018, 97 (39) : e12419.DOI: 10.1097/MD.000000000012419.
- [27] 张晓璇,马征,窦志杰,等.急性脑梗死患者血清闭锁蛋白水平与颈动脉粥样硬化、梗死面积及预后关系的分析[J].中国临床神经科学,2022,30(4):400-406,420.

(收稿日期: 2022-12-19; 修回日期: 2023-03-16) (本文编辑: 陈素芳)

作者・读者・编者・

《实用心脑肺血管病杂志》绿色通道投稿须知

为进一步满足广大医务工作者科研、工作需求,《实用心脑肺血管病杂志》开通了投稿绿色通道,凡符合以下条件的稿件编辑部将提供优化研究设计方案、优化统计学处理、优化参考文献等编辑深加工服务并由资深编辑负责论文的修改、润色,享受优先审稿、优先外审、优先出版等优惠政策,欢迎您积极踊跃投稿!

- (1)最新权威指南/指南解读、述评、Meta分析/系统评价类型文章,其中确有重大指导作用者缴费后1~2个月优先出版;
- (2) 国家级及省级以上基金项目支持文章, 其中确有重大影响力者缴费后1~2个月内优先出版;
- (3)省级基金项目支持文章及前瞻性研究、大型临床随机对照试验、大样本量调查研究缴费后2~3个月内优先出版;
- (4) 系统阐释、深入研究某一种/一组疾病规律的专题研究(由4~6篇文章组成)缴费后2~3个月内优先出版;
- (5)介绍自主研发/研制或具有专利号的医疗技术、仪器、设备等相关文章,缴费后2~3个月内优先出版;
- (6)优秀或获奖博士生毕业论文(须附导师推荐意见)缴费后2~3个月内优先出版。

凡符合上述条件的稿件请登录本刊官网(www.syxnf.net)"作者投稿系统"进行投稿,并在填写文题信息时标注"绿色通道"、提交基金项目证明文件、论文推荐函以备登记、审核,请务必保证所留信息正确、无误,不符合上述条件而标注"绿色通道"、相关证明材料不全、联系方式不完整或未提交论文推荐函者将直接退稿处理。

凡符合上述条件的稿件审稿时间将控制15~30 d以内, 并可申请网络首发, 未尽事宜详询电话: 18833006545/0310-2067168, 微信号: syxnfxgbzz1993, E-mail: syxnfxgbzz@chinagp.net.cn。